STATUS OF IRRIGATION SUPPLIED DURING KHARIFF AS ON SEPTEMBER 2015 IN CUTTACK DISTRICT

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
1	Cuttack	Athagarh	Balibadabandha	0.30	0.30	300.00	300.00	250.00	Less water available in river due to scanty rainfall
2	Cuttack	Athagarh	Banakhandi	1.50	1.50	81.00	81.00	56.00	Less availability of water in reservoir & some damaged canal structures.
3	Cuttack	Athagarh	Bhogara	NCS		400.00	100.00	60.00	Distribution system not started.
4	Cuttack	Athagarh	Bhutamundei	NCS		40.00	40.00	35.00	Less water available in river due to scanty rainfall
5	Cuttack	Athagarh	Bisibandha	4.90	4.00	263.00	263.00	230.00	Less water available in river due to scanty rainfall
6	Cuttack	Athagarh	Champia	4.50	3.60	243.00	243.00	165.00	Less water available in river due to scanty rainfall.
7	Cuttack	Athagarh	Cheptibeluabandha	NCS		81.00			Project is in defunct condition
8	Cuttack	Athagarh	Daburibandha	NCS		80.00	80.00	40.00	Less water available in river due to scanty rainfall
9	Cuttack	Athagarh	Dalua	NCS		60.00	60.00	35.00	Less water available in river due to scanty rainfall
10	Cuttack	Athagarh	Derabandha	NCS		80.00			Project is in defunct condition
11	Cuttack	Athagarh	Enduribadha	NCS		90.00			Project is in defunct condition
12	Cuttack	Athagarh	Gaudianalla	NCS		73.00			Project is in defunct condition
13	Cuttack	Athagarh	Gengutia	NCS		364.00			Project is in defunct condition
14	Cuttack	Athagarh	Jhinkargadia	0.50	0.30	47.00	47.00	25.00	Less availability of water in reservoir
15	Cuttack	Athagarh	Kainsarapat	NCS		73.00			Project is in defunct condition
16	Cuttack	Athagarh	Kandamaguribandha	NCS		43.00			Project is in defunct condition
17	Cuttack	Athagarh	Kansara	0.80	0.40	45.00	45.00	25.00	Less water available in river due to scanty rainfall
18	Cuttack	Athagarh	Kantol Tank	NCS		61.00	61.00	40.00	Less availability of water in tank

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
19	Cuttack	Athagarh	Kapursingh	5.60	3.60	150.00	150.00	100.00	Less water available in river due to scanty rainfall
20	Cuttack	Athagarh	Khajuripokhari	NCS		43.00	43.00	15.00	Less water available in river due to scanty rainfall
21	Cuttack	Athagarh	Khaksapat	NCS		243.00	150.00	100.00	Less water available in river due to scanty rainfall
22	Cuttack	Athagarh	Khandiabandha	NCS		42.00	42.00	30.00	Less water available in river due to scanty rainfall
23	Cuttack	Athagarh	Kua	NCS		80.00	60.00	50.00	Less water available in river due to scanty rainfall
24	Cuttack	Athagarh	Laxmibundha	16.20	9.50	850.00	850.00	600.00	Less water available in river due to scanty rainfall and some damaged canal structures.
25	Cuttack	Athagarh	Laxmigadiabandha	NCS		65.00			Project is in defunct condition
26	Cuttack	Athagarh	Madibundha	NCS		80.00			Project is in defunct condition
27	Cuttack	Athagarh	Mahakalabasta	NCS		60.00			Project is in defunct condition
28	Cuttack	Athagarh	Mahalaxmipur	1.70	1.30	81.00	81.00	55.00	Less water available in river due to scanty rainfall.
29	Cuttack	Athagarh	Mahantabandha	0.90	0.80	65.00	65.00	50.00	Less availability of water in reservoir.
30	Cuttack	Athagarh	Palaghosara	3.80	2.50	159.00	159.00	88.00	Less availability of water in reservoir & some damaged canal structures.
31	Cuttack	Athagarh	Patharkainchabandha	NCS		242.00			Project is in defunct condition
32	Cuttack	Athagarh	Sanka	7.30	5.80	243.00	243.00	220.00	Less water available in river due to scanty rainfall
33	Cuttack	Athagarh	Sapua	25.30	18.00	1,015.00	1,015.00	690.00	Canal structures damaged. Revovation work is under progress
34	Cuttack	Athagarh	Satyanarayanpur	NCS		50.00	50.00	30.00	Less water available in river due to scanty rainfall

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
35	Cuttack	Athagarh	Tailamal	7.10	6.20	162.00	162.00	130.00	Less water available in river due to scanty rainfall.
36	Cuttack	Athagarh	Tantichipa	1.70	1.50	162.00	162.00	137.00	Less water available in river due to scanty rainfall
37	Cuttack	Athagarh	Tarading	3.30	3.00	149.00	149.00	130.00	Less water available in river due to scanty rainfall.
38	Cuttack	Banki-I	Adahuda	0.60	0.40	41.00	41.00	35.00	Less availability of water in reservoir & some damaged canal structures.
39	Cuttack	Banki-I	Badapat	2.00	1.20	41.00	41.00	55.00	Less availability of water in reservoir & some damaged canal structures.
40	Cuttack	Banki-I	Bamdevsagar	1.80	1.10	41.00	41.00	35.00	Less availability of water in reservoir & some damaged canal structures.
41	Cuttack	Banki-I	Bhanjabandha	0.50	0.40	41.00	41.00	30.00	Less availability of water in reservoir & some damaged canal structures.
42	Cuttack	Banki-I	Brahmanidei	4.50	3.00	121.00	121.00	120.00	Less availability of water in reservoir
43	Cuttack	Banki-I	Chadakmara	0.20	0.20	47.00	47.00	45.00	Less availability of water in reservoir
44	Cuttack	Banki-I	Jokalangi	4.00	3.00	80.00	80.00	70.00	Less availability of water in reservoir
45	Cuttack	Banki-I	Kamedibandha	0.30	0.30	41.00	41.00	40.00	-
46	Cuttack	Banki-I	Kantilanjia	NCS		41.00	41.00	15.00	Less availability of water in reservoir
47	Cuttack	Banki-I	Kelibandha	0.50	0.50	41.00	41.00	35.00	Less availability of water in reservoir.
48	Cuttack	Banki-II	Baghakhianalla	2.50	2.00	61.00	61.00	50.00	Less availability of water in reservoir
49	Cuttack	Banki-II	Balibadabandha	0.20	0.15	41.00	41.00	35.00	Less availability of water in reservoir

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
50	Cuttack	Banki-II	Berenabandha	0.40	0.40	112.00	112.00	72.00	Less availability of water in reservoir & some damaged canal structures.
51	Cuttack	Banki-II	Brahmanijhar	4.50	3.50	243.00	243.00	200.00	Less availability of water in reservoir & some damaged canal structures.
52	Cuttack	Banki-II	Dandjhar	6.00	4.20	146.00	146.00	130.00	Less availability of water in reservoir & some damaged canal structures.
53	Cuttack	Banki-II	Goda Gauduni	0.30	0.30	41.00	41.00	40.00	-
54	Cuttack	Banki-II	Haduajhar	NCS		148.00			Project is in defunct condition
55	Cuttack	Banki-II	Jharianalla	4.00	2.00	124.00	124.00	60.00	Less availability of water in reservoir.
56	Cuttack	Banki-II	Kadamnalia	5.00	4.00	303.00	303.00	300.00	
57	Cuttack	Banki-II	Kankadajhar			148.00	70.00	50.00	Distribution system not started.
58	Cuttack	Banki-II	Khuntabilio	0.20	0.20	42.00	42.00	40.00	Less availability of water in reservoir & some damaged canal structures.
59	Cuttack	Banki-II	Nageswarpada	1.00	1.00	80.00	80.00	70.00	Less availability of water in reservoir & some damaged canal structures.
60	Cuttack	Banki-II	Nuabandha	NCS		46.00	46.00	25.00	Less availability of water in reservoir & some damaged canal structures.
61	Cuttack	Banki-II	Pailobandha	0.30	0.30	81.00	81.00	70.00	Less availability of water in reservoir & some damaged canal structures.
62	Cuttack	Banki-II	Rahania	NCS		41.00	41.00	35.00	Less availability of water in reservoir & some damaged canal structures.
63	Cuttack	Baramba	Badabil	2.40	1.90	61.00	61.00	55.00	Less water available in river due to scanty rainfall

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
64	Cuttack	Baramba	Chakundapalli	NCS		61.00	61.00	35.00	Less availability of water in reservoir
65	Cuttack	Baramba	Gangajal	1.60	1.30	162.00	162.00	128.00	Less availability of water in reservoir
66	Cuttack	Baramba	Hadua	35.10	21.15	2,144.00	1,600.00	1,273.00	Less water available in river due to scanty rainfall and some damaged canal structures.
67	Cuttack	Baramba	Janlabadia	5.00	2.40	320.00	220.00	110.00	Less water available in river due to scanty rainfall and some damaged canal structures. work is under progress.
68	Cuttack	Baramba	Jharananalla	4.00	3.50	121.00	121.00	90.00	Less water available in river due to scanty rainfall
69	Cuttack	Baramba	Karada	7.50	6.80	227.00	227.00	181.00	Less availability of water in reservoir
70	Cuttack	Baramba	Katrapal			405.00	60.00	45.00	Distribution system not started.
71	Cuttack	Baramba	Khambeswari	3.44	1.80	81.00	81.00	60.00	Less availability of water in reservoir
72	Cuttack	Baramba	Michhataila	NCS		61.00	61.00	35.00	Less availability of water in reservoir
73	Cuttack	Baramba	Nareijani	18.10	15.50	445.00	445.00	360.00	Less availability of water in reservoir
74	Cuttack	Baramba	Ranijharan	1.00	0.70	81.00	81.00	57.00	Less availability of water in reservoir
75	Cuttack	Baramba	Sambarpat	0.70	0.55	81.00	81.00	53.00	Less availability of water in reservoir
76	Cuttack	Baramba	Siaria	11.10	5.60	486.00	486.00	225.00	Less water available in river due to scanty rainfall and some damaged canal structures. work is under progress.
77	Cuttack	Baramba	Sunamuhin	1.40	1.40	81.00	81.00	80.00	Less availability of water in reservoir

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
78	Cuttack	Narasinghpur	Badhia	4.60	4.40	243.00	180.00	145.00	Less water available in river due to scanty rainfall and some damaged canal structures.
79	Cuttack	Narasinghpur	Budhideibandha	8.60	4.50	257.00	180.00	150.00	Less availability of water in reservoir
80	Cuttack	Narasinghpur	Chamundapali	NCS		61.00	61.00	55.00	Less availability of water in reservoir
81	Cuttack	Narasinghpur	Chatara	5.50	4.80	202.00	202.00	180.00	Less water available in river due to scanty rainfall
82	Cuttack	Narasinghpur	Dhodei	1.40	1.00	101.00	101.00	90.00	Less water available in river due to scanty rainfall
83	Cuttack	Narasinghpur	Jagannathbandha	NCS		66.00			Project is in defunct condition
84	Cuttack	Narasinghpur	Jantaria	4.00	3.00	118.00	118.00	112.00	Less water available in river due to scanty rainfall
85	Cuttack	Narasinghpur	Mahurkhia	NCS		53.00	53.00	45.00	Less availability of water in reservoir
86	Cuttack	Narasinghpur	Mitikapur	5.40	3.80	128.00	128.00	101.00	Less availability of water in reservoir
87	Cuttack	Narasinghpur	Nakhapadanalla	1.70	1.40	61.00	61.00	50.00	Less water available in river due to scanty rainfall
88	Cuttack	Narasinghpur	Purukutia	1.50	1.20	121.00	121.00	102.00	Less availability of water in reservoir
89	Cuttack	Narasinghpur	Purunapani	1.10	0.80	86.00	86.00	76.00	Less availability of water in reservoir
90	Cuttack	Narasinghpur	Sagar	6.50	2.30	41.00	41.00	35.00	Less availability of water in reservoir
91	Cuttack	Narasinghpur	Salasala	2.90	2.20	283.00	282.00	235.00	Less water available in river due to scanty rainfall and some damaged canal structures.
92	Cuttack	Narasinghpur	Sasanikata	1.00	0.60	121.00	121.00	86.00	Less availability of water in reservoir
93	Cuttack	Narasinghpur	Shyamsundariabandha	NCS		41.00			Project is in defunct condition

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
94	Cuttack	Narasinghpur	Suhagi	55.80	25.00	2,000.00	1,400.00	1,160.00	Less availability of water in reservoir & some damaged canal structures both in RMC & LMC.
95	Cuttack	Narasinghpur	Telibandha	0.40	0.40	41.00	41.00	30.00	Less availability of water in reservoir
96	Cuttack	Tangi-Choudwar	Anjua	NCS		81.00			Project is in defunct condition
97	Cuttack	Tangi-Choudwar	Badabandha	2.70	2.70	182.00	182.00	160.00	Less availability of water in reservoir
98	Cuttack	Tangi-Choudwar	Chhatabar	NCS		202.00			Project is in defunct condition
99	Cuttack	Tangi-Choudwar	Damanijhar			400.00			Distribution system not started.
100	Cuttack	Tangi-Choudwar	Dumulabandh	4.00	3.00	235.00	235.00	195.00	Less water available in river due to scanty rainfall and some damaged canal structures.
101	Cuttack	Tangi-Choudwar	Gandhanadi	12.20	8.60	677.00	540.00	420.00	Less water available in river due to scanty rainfall and some damaged canal structures.
102	Cuttack	Tangi-Choudwar	Hatuapokhari	NCS		48.00	30.00	20.00	Less availability of water in tank
103	Cuttack	Tangi-Choudwar	Kusunpur	12.90	9.80	890.00	890.00	690.00	Maximum ayacut achieved
104	Cuttack	Tangi-Choudwar	Maniabadabandha	NCS		101.00	50.00	35.00	Less availability of water in tank
105	Cuttack	Tangi-Choudwar	Nimajhar	2.30	2.30	91.00	91.00	90.00	-
106	Cuttack	Tangi-Choudwar	Sunamuhin	NCS		146.00	146.00	130.00	Less water available in river due to scanty rainfall
107	Cuttack	Tigiria	Baraman	3.50	2.80	136.00	136.00	120.00	Less availability of water in reservoir

Sl No.	Name of District	Name of Block	Name of MIP	Length of canal system in Km		Ayacut in Ha.			Reason for less/ excess of ayacut irrigated/ Reason for not reaching tail end
				Design length	Actual length in which water supplied	Designed Ayacut	Actual Potential Created	Ayacut irrigated upto 30th Sept'2015	
1	2	3	4	5	6	7	8	9	10
108	Cuttack	Tigiria	Benga	12.80	6.50	400.00	250.00	220.00	Less water available in river due to scanty rainfall and some damaged canal structures.
109	Cuttack	Tigiria	Jamunabandha	3.30	2.60	243.00	243.00	188.00	Less availability of water in reservoir & some damaged canal structures.
110	Cuttack	Tigiria	Jharitaila	10.00	8.50	405.00	405.00	295.00	Less availability of water in reservoir & some damaged canal structures.
111	Cuttack	Tigiria	Kukudakhai	0.70	0.30	45.00	45.00	23.00	Less availability of water in reservoir & some damaged canal structures.
112	Cuttack	Tigiria	Nukhurigadia	0.40	0.40	99.00	99.00	90.00	Less availability of water in reservoir & some damaged canal structures.
			Total:	**380.74**	**255.95**	**21,779.00**	**17,013.00**	**13,158.00**	